

KLOE[®]

SANITARY WARE



NSF/ANSI 61-9

Website: www.kinglongoe.com

E-mail: hyc@kinglongoe.com

jl_hyc@aliyun.com

Yuhuan Jinlong KLOE Sanitaryware Co.,Ltd.

Add: No.1, Shitai Road, Economic Development
Zone, Yuhuan, ZheJiang, China

Tel: 0086-576-87213288 87210288

Fax: 0086-576-87219118

P.C: 317608



For PC



For Mobile & Pad

Website: www.kinglongoe.com

E-mail: hyc@kinglongoe.com

jl_hyc@aliyun.com

KLOE



Company Profile

► Covering an area of 20,000m², Yuhuan Jinlong KLOE Sanitaryware Co., Ltd regards Zhejiang as the leading edge, our production base is located in valve capital of China Yuhuan, Zhejiang. Equipped with a set of advanced production technology, process and the manufacture, inspection facilities, we are engaged in research, exploitation, manufacturing and trade with a group of excellent technical and management personnel in the plumbing industry, specializes in manufacturing high-quality angle valves, ball valves, metal corrugated connectors, flexible braided hoses, bathroom accessories series, gas appliance series and brass fittings. Our products are widely used in the fields of construction, decoration, gas, water heater, etc., and most of our products are exported to Europe, America, Australia, Asia and other countries and regions.

Won the title of "China sanitaryware Famous Brand Products", KLOE has obtained the ISO9001-2008, cUPC, NSF61/9, AB1953, CSA, AGA and CE product certifications. Our products have been subjected to customers' trust and favor from home and abroad during these years.


KLOE belongs to the life, even belongs to the world, we insist on the faith "For the life...For the world", and our operation principle is "Be trust and customer-oriented", we will sustainably build up our KLOE brand, and we deeply believe that our insist on pursuing the secure, fashionable, concise and high-quality sanitary ware product will pave the way for us to move forward to the brilliant future along with the world.

KLOE®
金 龙 欧 浴

Our certificate and honor



IAPMO-cUPC



NSF/ANSI 61-9



IAPMO-Low Lead



CSA-Gas Valve



CSA-Gas Connector



AGA(Australia Gas Authentication)



Water Mark



ISO 9001:2008




China Sanitaryware Famous Brand Products



Product catalogue

	Brass Valve Stops	1-9		PEX Pipe	10
	PE-RT Tube	11		Push-Fitting	12-13
	Copper Corrugated Connector	14-15		Stainless Steel Corrugated Connector	16-17
	Stainless Steel Braided Water Heater Connector	18-19		Stainless Steel Braided /PVC Hose	20-25
	Washing Machine Supply Line	26-27		Plastic Coated Stainless Steel Braided Hose	28-29
	WaterMark Stainless Steel Braided Hose	30-31		Gas Valve Series	32
	Gas Hose Series	33-35		Brass Ball Valve	36-37
	Safety Valve	38-39		Shower Head Series	40
	Safety Handrail Series	41		Fitting Series	42

Brass Valve Stops



KLOE9001

5/8OD x 1/4OD Comp
Straight - 1/4 Turn



KLOE9002

5/8OD x 3/8OD Comp
Straight - 1/4 Turn



KLOE9003

5/8OD x 1/2OD Comp
Straight - 1/4 Turn



NSF/ANSI 61-9

Brass Valve Stops



NSF/ANSI 61-9

Brass Valve Stops



KLOE9004

1/2OD x 1/4OD Comp
Straight - 1/4 Turn



KLOE9005

1/2OD x 3/8OD Comp
Straight - 1/4 Turn



KLOE9006

3/8OD Comp x 3/8OD
Comp Straight - 1/4 Turn



KLOE9020

1/2Push - fit x 3/8OD
Straight - 1/4 Turn



KLOE9021

1/2Push - fit x 1/2OD
Straight - 1/4 Turn



KLOE9101

1/2PEX x 1/2PEX Comp
Straight - 1/4 Turn



KLOE9007

3/8OD Comp x 3/8 Comp
GJ Straight - 1/4 Turn



KLOE9011

5/8OD x 1/4OD Comp
Angle Stop - 1/4 Turn



KLOE9012

5/8OD x 3/8OD Comp
Angle Stop - 1/4 Turn



KLOE9102

1/2PEX x 1/4OD Comp
Straight - 1/4 Turn



KLOE9103

1/2PEX x 3/8OD Comp
Straight - 1/4 Turn



KLOE9103A

1/2Wisbo PEX x 3/8OD Comp
Straight-1/4 Turn



KLOE9013

5/8OD x 1/2 OD Comp
Angle Stop - 1/4 Turn



KLOE9014

1/2OD x 1/4OD Comp
Angle Stop - 1/4 Turn



KLOE9015

1/2OD x 3/8OD Comp
Angle Stop - 1/4 Turn



KLOE9104

1/2PEX x 1/2OD Comp
Straight - 1/4 Turn



KLOE9107

1/2PEX x 1/2M Comp
Straight - 1/4 Turn



KLOE9108

1/2PEX x 3/8Tube Comp
Straight - 1/4 Turn



KLOE9017

5/8OD COMP X 3/4MIP
Angle Stop - 1/4 Turn



KLOE9018

1/2"5/1 x 5/8"Comp
Angle Stop - 1/4 Turn



KLOE9019

1/2Push - fit x 1/4OD
Straight - 1/4 Turn



KLOE9111

1/2PEX x 1/2PEX Comp
Angle Stop - 1/4 Turn



KLOE9112

1/2PEX x 1/4OD Comp
Angle Stop - 1/4 Turn



KLOE9113

1/2PEX x 3/8OD Comp
Angle Stop - 1/4 Turn



NSF/ANSI 61-9

Brass Valve Stops



KLOE9113A

1/2 Wisbo PEX x 3/8OD
Angle Stop - 1/4 Turn



KLOE9114

1/2PEX x 1/2OD Comp
Angle Stop - 1/4 Turn



KLOE9117

1/2PEX x 1/2M Comp
Angle Stop - 1/4 Turn



KLOE9301

3/8 F x 1/4OD Comp
Straight - 1/4 Turn



KLOE9302

3/8 F x 3/8OD Comp
Straight - 1/4 Turn



KLOE9303

1/2 F x 1/4OD Comp
Straight - 1/4 Turn



KLOE9118

1/2PEX x 3/8Tube Comp
Angle Stop - 1/4 Turn



KLOE9201

1/2W x 1/4OD Comp
Straight - 1/4 Turn



KLOE9202

1/2W x 3/8OD Comp
Straight - 1/4 Turn



KLOE9304

1/2 F x 3/8OD Comp
Straight - 1/4 Turn



KLOE9305

1/2F x 1/2OD Comp
Straight - 1/4 Turn



KLOE9311

3/8F x 1/4OD Comp
Angle Stop - 1/4 Turn



KLOE9202-1

3/8OD x 1/2SWT
Comp Straight - 1/4 Turn



KLOE9203

1/2SWT x 1/2PEX Comp
Straight - 1/4 Turn



KLOE9211

1/2SWT x 1/4OD Comp
Angle Stop - 1/4 Turn



KLOE9312

3/8F x 3/8OD Comp
Angle Stop - 1/4 Turn



KLOE9313

1/2F x 1/4OD Comp
Angle Stop - 1/4 Turn



KLOE9314

1/2F x 3/8OD Comp
Angle Stop - 1/4 Turn



KLOE9212

1/2SWT x 3/8OD Comp
Angle Stop - 1/4 Turn



KLOE9212-1

3/8OD x 1/2SWT Comp
Angle Stop - 1/4 Turn



KLOE9213

1/2SWT x 1/2PEX Comp
Angle Stop - 1/4 Turn



KLOE9315

1/2F x 1/2OD Comp
Angle Stop - 1/4 Turn



KLOE9316

1/2F x 3/4MIP
Angle stop - 1/4 Turn



KLOE9317

1/2"S/J x 1/2"FIP
Angle Stop - 1/4-Turn



NSF/ANSI 61-9

Brass Valve Stops



NSF/ANSI 61-9

Brass Valve Stops



NSF/ANSI 61-9

Brass Valve Stops



KLOE9319

1/2Push - fit x 1/4OD
Angle Stop - 1/4 Turn



KLOE9320

1/2Push - fit x 3/8OD
Angle Stop - 1/4 Turn



KLOE9321

1/2Push - fit x 1/2OD
Angle Stop - 1/4 Turn



KLOE9502

5/8OD x 3/8OD Comp x 3/8OD
Comp Straight - 1/4 Turn



KLOE9503

1/2F x 3/8OD Comp x 1/4OD
Comp straight - 1/4Turn



KLOE9504

1/2F x 3/8OD Comp x 3/8OD
Comp straight - 1/4 Turn



KLOE9401

1/2CPVC x 1/4OD Comp
Straight - 1/4 Turn



KLOE9402

1/2CPVC x 3/8OD Comp
Straight - 1/4 Turn



KLOE9403

1/2CPVC x 3/8 Tube Comp
Straight - 1/4 Turn



KLOE9505

5/8OD x 3/8OD x 3/8OD
Comp - 1/4 Turn



KLOE9506

5/8OD x 3/8OD x 3/8OD
- 1/4 Turn



KLOE9507

1/2Push-fit x 3/8OD x 3/8OD
- 1/4Turn



KLOE9404

1/2CPVC x 1/2M Comp
Straight - 1/4 Turn



KLOE9411

1/2CPVC x 1/4 OD Comp
Angle Stop - 1/4 Turn



KLOE9412

1/2CPVC x 3/8OD Comp
Angle Stop - 1/4 Turn



KLOE9602

5/8OD x 3/8 OD Comp
Straight - Multi Turn



KLOE9603

5/8OD x 1/2OD Comp
Straight - Multi Turn



KLOE9603-1

3/8OD x 1/2SWT Comp
Straight-Multi Turn



KLOE9413

1/2CPVC x 3/8 Tube Comp
Angle Stop - 1/4 Turn



KLOE9414

1/2CPVC x 1/2M Comp
Angle Stop - 1/4 Turn



KLOE9501

5/8OD x 3/8OD x 1/4OD Comp
Straight - 1/4 Turn



KLOE9605

1/2CPVC x 3/8OD Comp
Straight - Multi Turn



KLOE9606

5/8OD x 3/8OD x 1/4OD
Angle valve stop-Multi Turn



KLOE9607

5/8OD x 3/8OD x 3/8OD
Angle valve stop-Multi Turn



NSF/ANSI 61-9

Brass Valve Stops



KLOE9611

5/8 OD x 1/4 OD Angle
valve stop - Multi Turn



KLOE9612

5/8 OD x 3/8 OD Angle
valve stop - Multi Turn



KLOE9613

5/8 OD x 1/2 OD Angle
valve stop - Multi Turn



KLOE9613-1

3/8OD x 1/2 SWT Comp
Angle stop-Multi Turn



KLOE9614

3/8 OD Comp x 3/8 OD Comp
Angle Stop - Multi Turn



KLOE9615

1/2CPVC x 3/8 OD Angle
valve stop - Multi Turn



KLOE9616

5/8 OD x 3/8 OD x 1/4 OD Angle
valve stop - Multi Turn



KLOE9617

5/8 OD x 3/8 OD x 3/8 OD Angle
valve stop - Multi Turn



KLOE9618

5/8 OD x 1/2OD x 3/8OD
Angle valve stop -Multi Trun



KLOE9619

5/8 Comp x 1/2Slip J
Angle stop-Multi Turn



KLOE9711

1/2 PEX x 1/4 OD Angle
valve stop - Multi Turn



KLOE9712

1/2 PEX x 3/8 OD Angle
valve stop - Multi Turn



KLOE9802

1/2 SWT x 3/8 OD Comp
Straight - Multi Turn



KLOE9902

3/8F x 3/8 OD Comp
Straight - Multi Turn



KLOE9811

1/2 SWT x 1/4 OD Angle
valve stop - Multi Turn



KLOE9903

1/2F x 3/8 OD Comp
Straight - Multi Turn



KLOE9812

1/2 SWT x 3/8 OD Angle
valve stop - Multi Turn



KLOE9904

3/8F x 1/2 OD Comp
Straight - Multi Turn



KLOE9912

1/2F x 1/4OD Angle
valve stop - Multi Turn



KLOE9913

1/2F x 3/8OD Angle
valve stop - Multi Turn



KLOE9914

1/2F x 1/2OD Angle
valve stop - Multi Turn



KLOE9915

3/8F x 3/8 OD Comp
Angle Stop - Multi Turn




KLOE9916

1/2F x 3/8OD x 3/8OD Angle
valve stop - Multi Turn



KLOE9918

1/2FIP x 3/8 Flare
Angle stop-Multi Turn



PEX Pipe

PEX is a cross-linked polyethylene tubing best suited for potable water supply application. PEX Pipe is durable, flexible and corrosion resistant. Flexibility reduces number of fittings needed to complete a job. Reduce cost and leak points.

Can be installed wet or dry for immediate pressure testing. Listed to NSF 14 and CSA B137.5 for use in potable water systems.

Color	White/Blue/Red/Orange
Material	Cross-Linked Polyethylene(PEX)
Maximum working pressure	160psi
Working Temperature	32- 200F (0-93°C)
Length	Available in coils (100-500ft.) and sticks(2-20 ft.)
Certification	ASTM F-876/877/2023 and CSAB137.5
Recommended application	Radiant Floor Heating, Water supply
Size	3/8" 1/2" 5/8" 1"



PE-RT Tube

Color	White/Blue/Red/Orange
Material	No cross linking Polyethylene
Maximum working pressure	160psi
Working Temperature	180- 200F (82-93°C)
Length	Available in coils (100-500ft.) and sticks(2-20 ft.)
Certification	ASTM Compliant, NSF Internal oxygen barrier
Recommended application	Radiant Floor Heating
Size	3/8" 1/2" 5/8" 1"

PE-RT Tube uses DOWLEX 2344 Polyethylene Resin, which offers the traditional benefits of polyethylene resin along with excellent high temperature resistance. DOWLEX 2344 Polyethylene Resin delivers long-term hydrostatic design strength at elevated temperatures, without the need for cross linking.

This process increases the tubing flexibility, resulting in potential installation benefits and labor savings. The hy-PE-RTube is suitable for a full range of radiant applications in residential, commercial, and industrial installations.

Push-Fitting







NSF/ANSI 61/9



Model	Push Fit Coupling
610303P01	3/8"PF×3/8"PF
610404P01	1/2"PF×1/2"PF
610606P01	3/4"PF×3/4"PF
610808P01	1"PF×1"PF



Model	Push Fit Reducing Coupling
610304P01	3/8"PF×1/2"PF
610306P01	3/8"PF×3/4"PF
610408P01	1/2"PF×1"PF
610604P01	3/4"PF×1/2"PF
610806P01	1"PF×3/4"PF



Model	Push Fit Male Adapter
610404M01	1/2"PF×1/2"MNPT
610406M01	1/2"PF×3/4"MNPT
610606M01	3/4"PF×3/4"MNPT
610806M01	1"PF×3/4"MNPT
610808M01	1"PF×1"MNPT



Model	Push Fit Male Adapter
610304M01	3/8"PF×1/2"MNPT
610604M01	3/4"PF×1/2"MNPT
610608M01	3/4"PF×1"MNPT



Model	Push Fit Female Adapter
610303F01	3/8"PF×3/8"FNPT
610404F01	1/2"PF×1/2"FNPT
610606F01	3/4"PF×3/4"FNPT
610808F01	1"PF×1"FNPT



Model	Push Fit Female Adapter
610304F01	3/8"PF×1/2"FNPT
610406F01	1/2"PF×3/4"FNPT
610604F01	3/4"PF×1/2"FNPT
610608F01	3/4"PF×1"FNPT
610806F01	1"PF×3/4"FNPT



Model	Push Fit FNPT Elbow
620303F01	3/8"PF×3/8"FNPT
620404F01	1/2"PF×1/2"FNPT
620606F01	3/4"PF×3/4"FNPT
620808F01	1"PF×1"FNPT



Model	Push Fit Elbow
620303P01	3/8"PF×3/8"PF
620404P01	1/2"PF×1/2"PF
620606P01	3/4"PF×3/4"PF
620808P01	1"PF×1"PF



Model	Push Fit Reducing Elbow
620306P01	3/8"PF×3/4"PF
620304P01	3/8"PF×1/2"PF
620604P01	3/4"PF×1/2"PF
620608P01	3/4"PF×1"PF
620804P01	1"PF×1/2"PF



Model	Push Fit MNPT Elbow
620303M01	3/8"PF×3/8"MNPT
620404M01	1/2"PF×1/2"MNPT
620606M01	3/4"PF×3/4"MNPT
620608M01	3/4"PF×1"MNPT
620808M01	1"PF×1MNPT



Model	Push Fit Tee
630303P01	3/8"PF×3/8"PF×3/8"PF
630404P01	1/2"PF×1/2"PF×1/2"PF
630606P01	3/4"PF×3/4"PF×3/4"PF
630608P01	1"PF×1"PF×1"PF



Model	Push Fit Reducing Tee
630304P01	3/8"PF×1/2"PF×3/8"PF
630403P01	1/2"PF×1/2"PF×3/8"PF
630604P01	1/2"PF×3/4"PF×1/2"PF
630604P02	3/4"PF×1/2"PF×3/4"PF
630406P01	3/4"PF×3/4"PF×1/2"PF
630806P01	1"PF×3/4"PF×1"PF
630808P02	1"PF×1"PF×3/4"PF



Model	Push Fit FNPT Tee
630303F01	3/8"PF×1/2"FP×3/8"PF
630404F01	1/2"PF×1/2"FP×1/2"PF
630606F01	3/4"PF×3/4"FP×3/4"PF
630608F01	1"PF×1"FP×1"PF



Model	Push Fit MNPT Tee
630303M01	3/8"PF×1/2"MNPT×3/8"PF
630404M01	1/2"PF×1/2"MNPT×1/2"PF
630606M01	3/4"PF×3/4"MNPT×3/4"PF
630608M01	1"PF×1"MNPT×1"PF



Copper Corrugated Connector


Copper Corrugated Connector

Features

Copper Corrugated Connector is used for water heater and water softeners, with brass fittings, no pipe cutting or threading required. Fast and easy to install. Copper Water Heater Connector is one of many top quality items in KLOE Water Heater Connector series.

Applications:

Connection to water heaters, air-conditionings and boiler.



Materials

Item	Name	Material
1	Nut	Brass
2	Flat washer	EPDM
3	Sleeve	POM
4	Copper corrugated connector	Copper
L	12" 、 15" 、 18" 、 24" 、 30" 、 36"	



Copper Corrugated Connector



8155
3/4"FIP×3/4"FIP



8156
3/4"FIP×3/4"F Sweat




8157
3/4"FIP×3/4"MIP



8158
3/4"FIP×3/4"PEX



8159
3/4"MIP×3/4"PEX




KFWH0002
3/4"FIP×3/4"FIP COPPER WATER HEATER CONNECTOR
1/2"FIP×1/2"MIP GAS CONNECTOR
3/4"MIP×7/8"OD BRASS ADAPTER
3/4"MIP×3/4"MIP IRON ADAPTER
PTFE SEALING TAPE



Stainless Steel Corrugated Connector



Stainless Steel Corrugated Connector



8155A
3/4" FIP x 3/4" FIP

Features

Adopt the design of wave mode, it can be flexible bend, finalize the design quickly when installing. Through polish and special process, make it shining, comfortable touching.

Applications

Suitable for the connectors between water-running pipe and water heater, basin, sink and WC suites.

Materials

Item	Name	Material
1	Nut	Brass
2	Flat washer	EPDM
3	Sleeve	POM
4	Stainless Steel Corrugated Connector	Stainless Steel
L	12"、15"、18"、24"、30"、36"	



Stainless Steel Corrugated Connector



Item No.	Size
8655-00-00	3/4" FIP X 3/4" FIP
8611-00-01	3/4" FIP X 1" FIP
8611-00-00	1" FIP x 1" FIP
8622-00-01	1-1/4" FIP x 1-1/4" FIP
8622-00-02	1-1/2" FIP x 1-1/2" FIP
8622-00-03	2" FIP x 2" FIP



Item No.	Size
8603-00-01	1/2" Push-fit x 1/2" FIP
8605-00-01	1/2" Push-fit x 3/4" FIP
8601-00-01	1/2" Push-fit x 1" FIP
8603-00-03	3/4" Push-fit x 1/2" FIP
8605-00-03	3/4" Push-fit x 3/4" FIP
8601-00-03	3/4" Push-fit x 1" FIP



Item No.	Size
8658-00-02	1/2" PEX x 3/4" FIP
8658-00-03	3/4" Crimp PEX x 3/4" FIP
8658-00-00	3/4" Wisbo PEX X 3/4" FIP



Item No.	Size
8600-00-01	1/2" Push-fit x 1/2" Push-fit
8600-00-02	1/2" Push-fit x 3/4" Push-fit
8600-00-03	3/4" Push-fit x 3/4" Push-fit



Item No.	Size
8638-00-02	1/2" PEX w/valve x 1/2" FIP
8658-00-02	1/2" PEX w/valve x 3/4" FIP
8618-00-02	1/2" PEX w/valve x 1" FIP
8638-00-04	3/4" PEX w/valve x 1/2" FIP
8658-00-04	3/4" PEX w/valve x 3/4" FIP
8618-00-04	3/4" PEX w/valve x 1" FIP



Item No.	Size
8603-00-02	1/2" Push-fit w/valve x 1/2" FIP
8605-00-02	1/2" Push-fit w/valve x 3/4" FIP
8601-00-02	1/2" Push-fit w/valve x 1" FIP
8603-00-04	3/4" Push-fit w/valve x 1/2" FIP
8605-00-04	3/4" Push-fit w/valve x 3/4" FIP
8601-00-04	3/4" Push-fit w/valve x 1" FIP



Item No.	Size
8616-00-00	3/4" FIP X 3/4" F Sweat



Item No.	Size
8617-00-00	3/4" FIP X 3/4" MIP
8655-00-02	3/4" FIP X 3/4" NPT
8611-00-02	1" FIP X 1" NPT



Item No.	Size	Finish
8655-00-02	3/4" FIP x 3/4" FIP	Red
8655-00-03	3/4" FIP x 3/4" FIP	Blue
8655-00-04	3/4" FIP x 3/4" FIP	Clear




Stainless Steel Braided Water Heater Connector



Stainless Steel Braided Water Heater Connector

Features

Series Stainless Steel Braided Water Heater Connector are used in residential & commercial applications, specifically for water heater hookups. They provide full flow capacity and protection from vibration and bursting under pressure surges and seismic activity. It consists of special PVC/TPV tubing jacketed with braided stainless steel, and permanently attached, brass, compression end fittings. Various end connections are available.



Applications

Connection to water heaters, air-conditionings.



Materials

Item	Name	Material
1	Hex-nut	Brass
2	Flat washer	EPDM/NBR
3	Flat core	Brass
4	Bushings	POM
5	Sleeve	Brass / Stainless steel
6	Stainless steel braided hose	Inner tube:PVC Out layer:Stainless steel
L	12" 、 15" 、 18" 、 24"	



Stainless Steel Braided Water Heater Connector



Item No.	Size
KLOE81CD	3/4"FIPx3/4"MIP



Item No.	Size
KLOE81DD	3/4"FIPx3/4"FIP



Item No.	Size
KLOE81DL	3/4"FIPx5/8"Comp




Item No.	Size
KLOE81CJ	3/4"MIPx7/8"Comp



Item No.	Size
KLOE81P3	3/8"Push-fit x 1/2"FIP
KLOE81R3	1/2"Push-fit x 1/2"FIP



Item No.	Size
KLOE81DR	1/2"Push-fit x 3/4"FIP
KLOE81DS	3/4"Push-fit x 3/4"FIP
KLOE81SO	3/4"Push-fit X 1"FIP
KLOE81OT	1"Push-fit x 1"FIP




Item No.	Size
KLOE81DU	1/2"Push-fit /valve x 3/4"FIP
KLOE81DK	3/4"Push-fit /valve x 3/4"FIP



Item No.	Size
KLOE81SS	3/4"Push-fit x 3/4"Push-fit
KLOE81TT	1"Push-fit x 1"Push-fit



NSF/ANSI 61-9



Stainless Steel Braided Hose



Stainless Steel Braided Hose

Stainless Steel Braided Hose

Features

Stainless steel braided hose is used high-quality stainless steel wires. Rubber gasket adopts top quality NBR or EPDM. And the inner tube with imported PVC or certified EPDM, possess the characteristics of aging-resistance, cold-resistance and corrosive resistance, to ensure the environmental function of products. After braiding the outer tube, the stainless steel braided hose can resist high pressure and explosion.

Applications:


Connection to faucets, WC suites, dishwasher machine, washing machine, ice maker.



NSF/ANSI 61-9



KLOE8188
F1/4"C×F1/4"C



Materials

Item	Name	Material
1	Hex nut	Brass
2	Washer	EPDM
3	Insert	Brass
4	Sleeve	Brass / Stainless steel
5	Stainless steel braided hose	Inner tube:PVC Out layer:Stainless steel
L	6" 、 9" 、 12" 、 15" 、 18" ...150"、 240"	

Constructed with two stainless steel braids and no fiber braid reinforcement.







Faucet Supply Line




Dishwasher Supply Line




KLOE8113
F3/8"C×F1/2"




KLOE8213
F1/2"×F3/8"C




KLOE8111
F3/8"C×F3/8"C




KLOE8211
F3/8"C×F3/8"C




KLOE8123
F1/2"C×F1/2"




KLOE8223
F1/2"C×F1/2"




KLOE8119
F3/8"C×M·F3/8"C




KLOE8219
M3/8"C×F3/8"C




KLOE8133
F1/2"×F1/2"




KLOE8233
F1/2"×F1/2"




KLOE811M
F3/8"C×F3/8"C/w Elbow





KLOE821M
F3/8"C×F3/8"C/w Elbow




KLOE813A
F1/2"x M10*1





KLOE823A
F1/2"x M10*1




KLOE811F
F3/8"C×F3/4"Elbow




KLOE821F
F3/8"C×F3/4"Elbow




KLOE8115
F3/8"C×F7/8"BC





KLOE8225
F1/2"C xF7/8"BC




KLOE81N5
1/2"Flare x 7/8"BC





KLOE82N5
1/2"Flare x 7/8"BC




KLOE8135
F1/2"×F7/8"BC




KLOE8235
F1/2"×F7/8"BC




KLOE8107
3/8"Flare×F7/8"Metal Nut





KLOE8217
F3/8"C×F7/8"Metal Nut




KLOE8131
F1/2"x1/2"CPVC Valve stop





KLOE8231
F1/2"x1/2"CPVC Valve stop





KLOE813H
F1/2"x1/2"PEX Valve stop




KLOE823H
F1/2"x1/2"PEX Valve stop




KLOE8133J
G1/2"x1/2"Ball Valve



KLOE825I
F7/8"BCx1/2"CPVC Valve stop



KLOE8133BM
G1/2"x1/2"Ball Valve



KLOE825H
F7/8"BCx1/2"PEX Valve stop



KLOE816F
F3/4" GHT xF3/4"
GHT 90° End



KLOE826F
F3/4" GHT xF3/4"
GHT 90° End



KLOE8166
F3/4"Brass NutxF3/4"
Brass Nut



KLOE8266
F3/4"Brass NutxF3/4"
Brass Nut



KLOE8266-B
F3/4"Brass NutxF3/4"
Brass Nut



KLOE8266-03
3/4"GHTx 3/4"GHT



KLOE8266-05
3/4"GHTx 3/4"GHT



KLOE8266-06
3/4"GHTx 3/4"GHT



8300-00-00
7/8"OD



8300-00-01
5/8"OD



8366-00-04
3/4"MIPx3/4"NHx3/4"NH



8400-00-00
EΦ1"-1-1/4"



Plastic Coated Stainless Steel Braided Hose




Features

It consists of plastic coat outside the braided stainless steel hose, stainless steel wires, PVC inner tube, and brass compression end fittings. Various end connections are available. After with Plastic Coated outside Stainless Steel wire, the stainless steel braided hose is more anti-corrosion.


Applications:

Connection to faucets,WC suites,dishwasher machine,washing machine,ice maker.



Materials

Item	Name	Material
1	Hex Nut	Brass
2	Washer	EPDM
3	Longer Insert	Brass
4	Sleeve	Brass/Stainless Steel
5	Stainless Steel Braided Hose	Inner tube:PVC Outlayer:Stainless Steel
6	Plastic Coated	PVC
L	6" 、 9" 、 12" 、 15" 、 18" ...150"、 240"	



Plastic Coated Stainless Steel Braided Hose

 KLOE8113F F3/8"CxF1/2"	 KLOE8111F F3/8"CxF3/8"C
 KLOE8133F F1/2"xF1/2"	 KLOE8119F M.F3/8"CxF3/8"C
 KLOE8103F 3/8"FlarexF1/2"	 KLOE8115F F3/8"CxF7/8"BC
 KLOE8166F 3/4"Brass nutx3/4"Brass nut	 KLOE81N7F 1/2"FlarexF7/8"BC



Item No.	Spec.	Size
8211-00-01	DN8	F3/8 x M3/8
8211-00-11	DN10	



Item No.	Spec.	Size
8211-00-00	DN8	F3/8 x F3/8
8211-00-10	DN10	



Item No.	Spec.	Size
8211-00-02	DN8	M3/8 x M3/8
8211-00-12	DN10	




Item No.	Spec.	Size
8201-00-01	DN8	F3/8 x M8/1
8201-00-11	DN10	



Item No.	Spec.	Size
8201-00-02	DN8	F3/8 x M10/1
8201-00-12	DN10	



Item No.	Spec.	Size
8233-00-01	DN8	F1/2 x M1/2
8233-00-11	DN10	



Item No.	Spec.	Size
8233-00-00	DN8	F1/2 x F1/2
8233-00-10	DN10	



Item No.	Spec.	Size
8233-00-02	DN8	M1/2 x M1/2
8233-00-12	DN10	



Item No.	Spec.	Size
8203-00-01	DN8	F1/2 x M8/1
8203-00-11	DN10	



Item No.	Spec.	Size
8203-00-02	DN8	F1/2 x M10/1
8203-00-12	DN10	



Item No.	Spec.	Size
8203-00-03	DN8	F1/2 x M15/1
8203-00-13	DN10	



Item No.	Spec.	Size
821313-00-01	DN20	F3/4 x M3/4



Item No.	Spec.	Size
821313-00-00	DN20	F3/4 x F3/4



Item No.	Spec.	Size
821313-00-02	DN20	M3/4 x M3/4



Item No.	Spec.	Size
821515-00-00	DN20	F1" X F1"



Item No.	Spec.	Size
821515-00-01	DN20	F1" X M1"



Code	Fip	Fip
5FA44A0	1/2"	1/2"
5FA66A0	3/4"	3/4"
5FA88A0	1"	1"



Code	Mip	Mip
5FB44A0	1/2"	1/2"
5FB66A0	3/4"	3/4"
5FB88A0	1"	1"



Code	Flare	Fip
5FH24A0	1/4"	1/2"
5FH34A0	3/8"	1/2"
5FH46A0	1/2"	3/4"
5FH56A0	5/8"	3/4"
5FH68A0	3/4"	1"
5FH88A0	1"	1"



Code	Flare	Fip
5FK24A0	1/4"	1/2"
5FK34A0	3/8"	1/2"
5FK46A0	1/2"	3/4"
5FK56A0	5/8"	3/4"
5FK68A0	3/4"	1"
5FK88A0	1"	1"



Code	Flare	Mip
5FI24A0	1/4"	1/2"
5FI34A0	3/8"	1/2"
5FI46A0	1/2"	3/4"
5FI56A0	5/8"	3/4"
5FI68A0	3/4"	1"
5FI88A0	1"	1"



Code	Flare	Mip
5FL24A0	1/4"	1/2"
5FL34A0	3/8"	1/2"
5FL46A0	1/2"	3/4"
5FL56A0	5/8"	3/4"
5FL68A0	3/4"	1"
5FL88A0	1"	1"



Code	Flare	Flare
5FG22A0	1/4"	1/4"
5FG33A0	3/8"	3/8"
5FG44A0	1/2"	1/2"
5FG55A0	5/8"	5/8"
5FG66A0	3/4"	3/4"
5FG88A0	1"	1"



Code	Flare	Flare
5FJ22A0	1/4"	1/4"
5FJ33A0	3/8"	3/8"
5FJ44A0	1/2"	1/2"
5FJ55A0	5/8"	5/8"
5FJ66A0	3/4"	3/4"
5FJ88A0	1"	1"



PURSuing OUTSTANDING QUALITY
CREATING A BETTER LIFE



	12"	18"	24"	36"	48"	60"	72"
Inch	Yellow Epoxy Coating S.S			Un-Coated S.S			
1/8"ID			5RB11A00				5RA11A00
1/4"ID			5RB12A00				5RA12A00
3/8"ID			5RB13A00				5RA13A00
1/2"ID			5RB14A00				5RA14A00
5/8"ID			5RB15A00				5RA15A00
3/4"ID			5RB16A00				5RA16A00
1"ID			5RB18A00				5RA18A00



Code	Flare	Mip	Code	Flare	Fip
5PJ23A0	1/4"	3/8"	5PN23A0	1/4"	3/8"
5PJ24A0	1/4"	1/2"	5PN24A0	1/4"	1/2"
5PJ33A0	3/8"	3/8"	5PN33A0	3/8"	3/8"
5PJ34A0	3/8"	1/2"	5PN34A0	3/8"	1/2"
5PJ44A0	1/2"	1/2"	5PN44A0	1/2"	1/2"
5PJ46A0	1/2"	3/4"	5PN46A0	1/2"	3/4"
5PJ56A0	5/8"	3/4"	5PN56A0	5/8"	3/4"
5PJ58A0	5/8"	1"	5PN58A0	5/8"	1"
5PJ68A0	3/4"	1"	5PN68A0	3/4"	1"
5PJ88A0	1"	1"	5PN88A0	1"	1"


Stainless steel gas hose

Features:

S.S gas connector is used for transporting gas, with the clear outer marking, adopt the flame retardant PVC coated or yellow epoxy coating, specious surface, arbitrary cutting, quick connection, easy installation. Connect to connectors which are exposed or concealed, long service life, it's your ideal choice for modern floor heater, overall kitchen and bathroom. Processed by special technique. High pressure tolerance, inflaming retarding to insure safety.

Application:

Natural gas, artificial gas, liquefied petroleum gas, marsh gas.





Item No.	Size
KLOE2220-15	1/2"Crimp PEX x 1/2"Crimp PEX
KLOE2220-20	3/4"Crimp PEX x 3/4"Crimp PEX
KLOE2220-25	1"Crimp PEX x 1"Crimp PEX



Item No.	Size
KLOE2220A-15	1/2"Wisbo PEX x 1/2"Wisbo PEX
KLOE2220A-20	3/4"Wisbo PEX x 3/4"Wisbo PEX
KLOE2220A-25	1"Wisbo PEX x 1"Wisbo PEX



Item No.	Size
KLOE2219-15	1/2"Fx1/2"F
KLOE2219-20	3/4"Fx3/4"F
KLOE2219-25	1"Fx1"F
KLOE2219-32	1-1/4"Fx1-1/4"F
KLOE2219-40	1-1/2"Fx1-1/2"F
KLOE2219-50	2"Fx2"F



Item No.	Size
KLOE2201-15	1/2"Sweatx1/2"Sweat
KLOE2201-20	3/4"Sweatx3/4"Sweat
KLOE2201-25	1"Sweatx1"Sweat



Item No.	Size
KL2222-15	1/2"Push-fit x1/2"push-fit ball valve
KL2222-18	1/2"Push-fit x3/4"push-fit ball valve
KL2222-20	3/4"Push-fit x3/4"push-fit ball valve



Item No.	Size
KL2223-15	1/2"FIPX1/2"push-fit ball valve
KL2223-20	3/4"FIPX3/4"push-fit ball valve



Item No.	Size
KL2224-15	1/2"MIPX1/2"push-fit ball valve
KL2224-20	3/4"MIPX3/4"push-fit ball valve



Item No.	Size
KLOE3615B-15	1/2FIPx1/2MIP



Item No.	Size
KLOE3615C-15	1/2FIPx1/2MIP



Item No.	Size
KLOE3615G-15	1/2FIPx1/2MIP



Item No.	Size
KLOE3615F-15	1/2FIPx1/2MIP



Item No.	Size
KLOE3615L-15	1/2FIPx1/2MIP



Item No.	Size
KLOE3615-20	3/4FIPx3/4MIP



Item No.	KLOE3701
Size	Clip x G1/2M
Body Material	Brass



Item No.	KLOE3702
Size	G1/2M x G1/2M
Body Material	Brass



Item No.	KLOE3703
Size	G1/2M x G1/2F
Body Material	Brass



Item No.	KLOE3704
Size	Quick Fit x Clip
Body Material	Brass



Item No.	KLOE3705
Size	Quick Fit x Clip
Body Material	PA



Item No.	KLOE3706
Size	Quick Fit x G1/2M
Body Material	PA



Shower Head Series



Model :	H301N	H301C
Finish:	Brushed Nickel	Chrome
Desc:	Shower arm and flange	Shower arm and flange
Size:	6",8"	6",8"



H232
Chrome/Nickle plated
Shower Head
5 Functions



H233
Chrome/Nickle plated
Shower Head
3 Functions



H234
Chrome/Nickle plated
Shower Head
3 Functions



Safety Handrail Series



Model :	KL-100950700
Material:	White Stainless Steel
Desc:	Concealed grab bar
Tube OD:	1 1/4",1 1/2"
Length (in.):	12",16",18",24",30",32",36",42",48" or any length for custom made



Model :	KL-100950800
Material:	Brushed Stainless Steel
Desc:	Concealed grab bar
Tube OD:	1 1/4",1 1/2"
Length (in.):	12",16",18",24",30",32",36",42",48" or any length for custom made



Model :	KL-100950900
Material:	Polished Stainless Steel
Desc:	Concealed peened grab bar
Tube OD:	1 1/4",1 1/2"
Length (in.):	12",16",18",24",30",32",36",42",48" or any length for custom made



Model :	KL-100950500
Finish:	Chrome Plated, Brushed, Polished, Powder Painted, Powder Coating
Material:	Stainless Steel
Desc:	Safety Handrial
Size:	1-1/4",1-1/2"



Model :	KL-100950600
Finish:	Titanium Plated, Brushed, Polished Powder Painted, Powder Coating
Material:	Stainless Steel
Desc:	Safety Handrial
Size:	1-1/4",1-1/2"




Model :	KL-100950400
Finish:	Chrome Plated, Brushed, Polished Powder Painted, Powder Coating
Material:	Brass,Stainless Steel
Desc:	Safety Handrial
Size:	1-1/4",1-1/2"

Fittings Series



GJ610202-01 1/4" MIP
GJ610201-01 3/8" MIP
GJ610707-01 1/2" MIP
GJ610700-01 3/4" MIP



GJ610505-02 1/4" MIP
GJ610101-01 3/8" MIP
GJ610202-02 1/2" MIP
GJ610707-04 3/4" MIP



KFWH0001-03
3/4" MIP x 3"



GJ610204-01
1/4"x7/16" Flare Elbow



GJ614343-02 1/2"NPTx1/2"NPT Brass Elbow
GJ614243-03 1/2"NPTx3/8"NPT Brass Elbow



GJ670607-01
3/8"Cx3/4"GHT Garden Hose Adapter



GJ620707-01
3/4" Garden Hose Wye



GJ661313-01 3/4"x3/4"
GJ661315-01 3/4"x1"
GJ661616-01 1"x1"
GJ661717 1 1/4" x 1 1/4"



GJ610343-01-00 3/8"ODx1/2"NPT
GJ610845-01-00 5/8"ODx3/4"NPT
GJ610945-01-00 7/8"ODx3/4"NPT



GJ610202-01-00 1/4"ODx1/4"OD
GJ610303-01-00 3/8"ODx3/8"OD
GJ610505-01-00 1/2"ODx1/2"OD
GJ610808-01-00 5/8"ODx5/8"OD



GJ614343-01
1/2"NPT"x1/2"NPT
Brass Adapter



GJ610343-01-00
1/2"NPTx3/8"OD



GJ610308-02-00 3/8"Cx1/2"C
GJ610308-03-00 3/8"Cx1/2"F



GJ620606-01
9/16" Compression Adapter



GJ620606-01-00 3/8"Cx3/8"ODx3/8"OD
GJ620606-02-00 3/8"Cx3/8"ODx1/4"OD

High quality products derive from high-tech equipment.

